WorkForce Pro WF-C869RDTWF



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages¹ without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy¹ and 99 percent on waste¹. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink¹, that's up to 4.5 times more prints than colour lasers and copiers². It cuts intervention time by up to 98 percent² as replacement inks are few and far between.

The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power² thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers².

Be more productive

Its first page out time is up to three and a half times faster than competitive products². Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

Built for business

Take control with a range of software and tools that provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Epson Open Platform and our work with ISVs add extra solutions, such as PaperCut print management software. Designed for busy environments, its paper tray and other features are built to be robust and durable.

DATASHEET / BROCHURE



KEY FEATURES

- Reduce downtime
 Print up to 84,000 pages without replacing the ink¹
- Ecological
 Uses up to 95 percent less power than competitive colour lasers²
- Save time
 Automatic double-sided printing, scanning, copying and faxing
- Built for business
 Added functionality with software tools such as Epson Open Platform
- PrecisionCore technology
 Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles Black, 800 Nozzles per Color Minimum Droplet Size 4.6 pl, With Variable-Sized Droplet Technology Ink Technology Replaceable Ink Pack System (RIPS)

Category Office Workgroup, Office Departmental

All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 6 Seconds, Colour 6.5 Seconds Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour **Duplex Printing Speed** 16 A4 Pages/min Monochrome, 16 A4 Pages/min Colour

ISO/IEC 24734

Printing Speed ISO/IEC 24734 13 pages/min Monochrome, 13 pages/min Colour

(A3)

Duplex Printing Speed 11 A4 Pages/min Monochrome, 11 A4 Pages/min Colour

ISO/IEC 24734 (A3)

Maximum Printing Speed 35 pages/min Colour (plain paper 75 g/m²), 35 pages/min Monochrome (plain paper 75 g/m²)

Printing Resolution 4,800 x 1,200 DPI Printing Volume 75,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 2,000 - 10,000 pages per month

For detailed information on printing speeds please visit http://www.epson.eu/testing.

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

black)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan (A4 black)

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

colour)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan

(A4 colour)

Optical Resolution 1,200 DPI x 2,400 DPI (Horizontal x Vertical) Optical Resolution (ADF) 600 DPI x 600 DPI (Horizontal x Vertical)

Advanced document Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device / Card integration

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 2,000 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address Fax Functions

WorkForce Pro WF-C869RDTWF

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

COPY

Copy Speed Up to 22 ipm Black, Up to 21 ipm Colour

*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi) 600 x 1200

Reduction / Enlargement 25 % - 400 % Auto fit function

Maximum number of copies 999 Maximum Copy Size АЗ

CONNECTIVITY

LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS, **Network Printing Protocols**

Network Management

HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE

Protocols

802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP,

LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-

Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE

802.11a/b/g/n, USB 3.0 Type B

WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)

Network Protocol TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), C4 (Envelope), C6

(Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, Legal, A3 (29.7x42.0 cm), B4 (25.7x36.4 cm), B6 (12.5x17.6 cm), C5 (Envelope), DL (Envelope), HLT, EXE, Tabloid,

A3+ 50 pages

Automatic Document Feed

64 g/m² - 300 g/m² Compatible Paper Weight

Duplex

Yes

Standard Paper input

835 Sheets Standard, 85 Sheets MP tray, 750 Sheets paper tray

250 Sheets Output Tray Capacity

Paper Tray Capacity 835 Sheets Standard, 1,835 Sheets Maximum

Standard paper tray(s) 85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray

Optional paper tray(s) 2 x 500-Sheet paper tray, Cabinet 1,835 Yes

Maximum paper input Rear paper path (special

media)

3 Number of paper travs

PAPER FEED RASF

Paper Input Name RASF

Paper Formats A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),

Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid

Custom sizes Min 55x 330 mm to Max 127x 1.200 mm

Compatible paper weight 64 g/m² - 300 g/m² Paper Capacity 1 85 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Input Name

Paper Formats A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid

Compatible paper weight 64 g/m² - 200 g/m²

Paper Capacity 1 250 80asm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

PAPER FEED C2

Paper Input Name

A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive Paper Formats

Compatible paper weight 64 g/m² - 200 g/m² 500 80gsm Paper Capacity 1

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid Paper Formats

Compatible paper weight 64 g/m² - 150 g/m²

GENERAL

20 Watt (Ready), 0.5 Watt (Power off), 40 Watt (standalone copying, ISO/IEC 24712 pattern), **Energy Use**

1.6 Watt (sleep mode), TEC 0.24 kWh/week

Supply Voltage AC 220 V - 240 V

787 x 758 x 621 mm (Width x Depth x Height) Product dimensions

Product weight 64.1 kg

Compatible Operating Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac

Systems OS 10.8.x, Mac OS 10.9.x, Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows

Vista (32/64 bit), Windows Vista x64, Windows XP x64, Windows Server 2003 R2

Sound Power Operation: 6.4 B (A) Noise Operation: 48 dB (A)

Mobile and Cloud printing

Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print services

220V, 240V Power supply

ADDITIONAL FEATURES

Touchscreen, Direct scan-to-print without PC, Direct print from USB Features

Panel Type: Color, Touchscreen, Diagonal: 12.7 cm

Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media Media Handling

feed, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

OTHER FEATURES

PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3 **Emulations**

OTHER

Warranty 12 months On-site service

Optional warranty extension available



SUPPLIES

• Business Paper - A4 - 500 Sheets

WorkForce Pro WF-C869RDTWF

• Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets

C13S450075 C13S400059

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette C12C932611
- Low Cabinet C12C932891
- Card Reader Holder C12C932921
- High Cabinet C12C933561
- Retractable output tray C12C934171

LOGISTICS INFORMATION

SKU	C11CF34401BY
EAN code	8715946623191
Country of Origin	Indonesia
Layer	1 Units
Layer Block	1 Units







For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus
* 10p per minute plus network extras. www.epson.co.uk www.epson.ie

1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.

2. For more information, visit www.epson.eu/inkjetsaving

