







CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity
Print anytime from anywhere
with Konica Minolta's innovative mobile technologies



Services

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup




Sustainability

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

OPTIONS













Height adjustment unit PF-P22 Copy desk DK-P04x

5 MEDIA OUTPUT

Off-line stapler
FS-P04

FINISHING FUNCTIONALITIES





Duplex

Corner stapling (offline)

DESCRIPTIONS

ENHANCED FEATURES			
LK-114 Serverless Pull Printing	Secure and Follow Me printing solution requiring no server application		
CONNECTIVITY			
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode		
EK-608 USB I/F kit	USB keyboard connection		
EK-609 USB I/F kit	USB keyboard connection; Bluetooth		
EK-P10 NFC interface	To connect with Android mobile devices		
EK-P11 Interface cable for CSRC mod	dem GPRS modem connection for CSRC		
AU-102 Biometric authenticaton	Finger vein scanner		
ID card reader	Various ID card technologies		
MK-P08 Mount kit	Installation kit for ID card reader		

Authentication device placement		
For use instead of touchscreen		
To place USB keyboard		
Improving indoor air quality by reduced emissions		
Installation kit for Air cleaning unit		
500 sheets, A4, 60-90 g/m ²		
To achieve comfortable height for operation		
Provides storage space for print media and other materials		
Provides storage space for print media and other materials		
Provides storage space for print friedra and other friaterials		

TECHNICAL SPECIFICATIONS

SYST	FM	SPI	FCIE	ICAT	IONS

Panel size/resolution	7" / 800 x 480		
System memory (standard/max)	4,096 MB		
System hard disk	8 GB (standard)		
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;		
	Wi-Fi 802.11 b/g/n (optional)		
Paper input capacity (standard/max)	600 sheets/1,600 sheets		
Paper tray input (standard)	1x 500 sheets; A6–A4; custom sizes; 60–210 g/m ²		
Paper tray input (optional)	2x 500 sheets; A4; custom sizes; 60–90 g/m ²		
Manual bypass	100 sheets; A6–A4; Custom sizes; 60–210 g/m²		
Automatic duplexing	A5-A4; 60-210 g/m ²		
Finishing modes (optional)	Group; Sort; Staple (offline)		
Output capacity (standard)	Max. 250 sheets		
Print volume (monthly)	Rec. 6,500 pages; Max. ¹ 120,000 pages		
Toner lifetime	Black up to 13,000 pages		
	CMY up to 9,000 pages		
Imaging unit lifetime	Black up to 161,000 pages (imaging unit)		
	CMY up to 55,000 pages (imaging unit)		
Power consumption	220-240 V / 50/60 Hz; Less than 1.45 kW		
System dimension (W x D x H)	420 x 528 x 473 mm (without options)		
System weight	Approx. 33.2 kg (without options)		

PRINTER SPECIFICATIONS

itri® HD polymerised toner 00 (equivalent) x 600 dpi; 1200 x 1200 dpi to 40/40 ppm /8.7 sec. 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
to 40/40 ppm (8.7 sec.
/8.7 sec.
6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
dows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64);
dows Server 2008 (32/64); Windows Server 2008 R2;
dows Server 2012; Windows Server 2012 R2;
dows Server 2016; Windows Server 2019;
cintosh OS X 10.10 or later; Unix; Linux; Citrix
PCL Latin; 137 PostScript 3 Emulation Latin
Print (iOS); Mopria (Android);
ica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);
oile Authentication and Pairing (iOS/Android)
ional: Google Cloud Print; WiFi Direct

SYSTEM FEATURES

SISILIVITERIORES	
Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in evalutation); IP filtering
	and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Authentication log; Secure print; Kerberos;
	Memory data auto deletion; Print user data encryption
Accounting (standard)	Up to 100 user accounts; Active Directory support
	(user name + password)
Accounting Functions (optional)	Biometric authentication (finger vein scanner);
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	PageScope Net Care Device Manager; PageScope Data
	Administrator; PageScope Web Connection; Print Status Notifier;
	Driver Packaging Utility; Log Management Utility

- ¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- ² Warm-up time may vary depending on the operating environment and usage
- All specifications refer to A4-size paper of 80 g/m² quality.
 The support and availability of the listed specifications and functionalities varies depending on operating systems,
- applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing $variables\ including\ page\ coverage,\ page\ size,\ media\ type,\ continuous\ or\ intermittent\ printing,\ ambient\ temperature\ and$
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

























